

Poly EncorePro 520D with Quick Disconnect Binaural Digital Headset TAA

Active

783P5AA

NG

Specifications

All Specs

Boom mic length (mm)	135 mm
Boom mic rotation	290°
Cable length	78.5 cm
Cartons per layer	5
Cartons per pallet	20
Certified collaboration software	Skype for Business
Color	Black
Compatibility	Compatible with PCs via QD (Quick-Disconnect)
Compatible Operating Systems	Windows 11; Windows 10; macOS
Connection type	Wired: QD (Quick-Disconnect)
Connects to	Desk phone; PC
Country of origin	Made in Mexico
Dimensions (W x D x H)	11.1 x 14.9 x 6.7 cm
ECCN	EAR99
Headphone type	On-ear (stereo)
HTS code	8518302000
Layers per pallet	4
Manufacturer product number	203192-01
Manufacturer Warranty	Poly standard two-year limited warranty
Material Type for item	FERT
Microphone bandwidth	20 Hz to 16 kHz

Microphone type	Noise cancelling
Multiple order quantity	48
Package dimensions (W x D x H)	147 x 178 x 54 mm
Package weight	173.92 g
Pallet dimensions (W x D x H)	101.6 x 121.9 x 167.6 cm
Pallet weight	166.96 kg
Products per pallet	960
Products per pallet layer	240
Registration required	No
Sensitivity (microphone)	-40 +/-3 dB
Signal-to-noise ratio	>50 dB
Speaker bandwidth	150 Hz to 6.8 kHz
Speaker size	30 mm
UNSPSC code	43191638
Weight	74 g
What's in the box	Headset

Logistics

ECCN	EAR99
HTS code	8518302000
What's in the box	Headset
Cable length	78.5 cm
Package dimensions (W x D x H)	147 x 178 x 54 mm
Pallet dimensions (W x D x H)	101.6 x 121.9 x 167.6 cm
Dimensions (W x D x H)	11.1 x 14.9 x 6.7 cm
Country of origin	Made in Mexico

Cartons per layer	5
Cartons per pallet	20
Multiple order quantity	48
Layers per pallet	4
Products per pallet	960
Products per pallet layer	240
Manufacturer product number	203192-01
Material Type for item	FERT
UNSPSC code	43191638
Package weight	173.92 g
Pallet weight	166.96 kg
Weight	74 g

Specifications

[1] Protects against Acoustic Shock by limiting sounds to below 118 dBA.

Legal disclaimer