

Poly Rove 40 DECT Phone Handset

Active

84H77AA

NI

Specifications

All Specs

Audio	DTMF tone generation (RFC 2833 and in-band)
Audio codecs	G.165, 168 echo cancellation
Battery life	Up to 18 hours (talk time); Up to 300 hours (standby time)
Battery type	Rechargeable Li-ion
Cartons per layer	12
Cartons per pallet	96
Certifications and compliances	UL 62368-1
Certified collaboration software	Zoom; Microsoft (OpenSIP gateway)
Color	White
Country of origin	Made in China
DECT frequency	1920 to 1930 MHz (US) Auto configures frequencies to base station
Dimensions (W x D x H)	56.9 x 146.3 x 36.8 mm
Display features	Adjustable font size selection (regular, medium, large)
Display size (diagonal)	6.1 cm (2.4")
ECCN	EAR99
Energy star certified	ENERGY STAR® certified
Headset and handset compatibility	Bluetooth® headset compatibility; Compliant with ADA Section 508 Subpart B 1194.23 (all); 3.5 mm headset port
Headset ports	3.5 mm headset jack
HTS code	8517140080
Layers per pallet	8
Management Software	Polycom Device Management Service for Service Providers (PDMS-SP) Cloud Management

Manufacturer product number	2200-86810
Manufacturer Warranty	Poly standard one-year limited warranty
Material Type for item	FERT
Multiple order quantity	10
Network protocols, supported	Manual or dynamic host configuration protocol (DHCP) network setup; IPv4
Operating humidity range	5 to 95%
Operating temperature range	-10 to 55°C
Package dimensions (W x D x H)	176 x 163 x 44 mm
Package weight	300 g
Pallet dimensions (W x D x H)	101.6 x 121.9 x 149 cm
Pallet weight	357 kg
Panel technology	Color TFT LCD
Power	External universal AC adapter: 5V 1A DC (model-specific plugs)
Products per pallet	960
Products per pallet layer	120
Registration required	No
Security management	DECT™ security certified
Special features	Unicode UTF-8 character support; Push-to-talk
Storage temperature range	-40 to 70°C
Telephony and call handling features	Up to 2 call appearances
UNSPSC code	43191606
UPC number	197497527544
VoIP features	Up to Twenty (20) lines per Handset, service subscription profile assignments (SP 1 – 20)
Weight	171 g
What's in the box	Safety information sheet; Handset; Quick start guide; AC power adapter; Charging cradle; Belt clip; Battery

Wireless range Up to 50 m indoor

Wireless technologies Bluetooth® 4.2

Logistics

ECCN EAR99

HTS code 8517140080

UPC number 197497527544

What's in the box Safety information sheet; Handset; Quick start guide; AC power adapter; Charging cradle; Belt clip; Battery

Package dimensions (W x D x H) 176 x 163 x 44 mm

Pallet dimensions (W x D x H) 101.6 x 121.9 x 149 cm

Dimensions (W x D x H) 56.9 x 146.3 x 36.8 mm

Country of origin Made in China

Cartons per layer 12

Cartons per pallet 96

Multiple order quantity 10

Layers per pallet 8

Products per pallet 960

Products per pallet layer 120

Manufacturer product number 2200-86810

Material Type for item FERT

UNSPSC code 43191606

Package weight 300 g

Pallet weight 357 kg

Weight 171 g

Legal disclaimer

[2] Poly Rove 40 ruggedized handsets are drop proof (up to 6.6 ft/2 m) and IP65 dust-tight and water resistant.

[3] Poly wired headset sold separately.