

Poly Rove 20 Single Cell DECT 1880-1900 MHz B1 Base Station and 20 Phone Handset Kit

Discontinued

8F3E3AA

NI

Specifications

All Specs

Audio	Full-duplex handsfree speakerphone with acoustic echo cancellation and background noise suppression
Audio codecs	G.711 (A-law and μ -law); G.722; G.726; G.729A; G.729AB; OPUS; Wideband
Battery life	Up to 35 hours (talk time) using Eco mode; Up to 300 hours (standby time)
Battery type	Rechargeable Li-ion
Cartons per layer	7
Cartons per pallet	63
Certifications and compliances	UL 62368-1
Certified collaboration software	Zoom; Microsoft (OpenSIP gateway)
Color	Black
Country of origin	Made in China
DECT frequency	1880 to 1900 MHz (EURO/AUST/UK/AP)
Dimensions (W x D x H)	55.2 x 127 x 26.3 mm
Display features	Adjustable font size selection (regular, medium, large)
Display size (diagonal)	5.1 cm (2")
ECCN	5A991
Energy star certified	ENERGY STAR® certified
Headset and handset compatibility	Compliant with ADA Section 508 Subpart B 1194.23 (all); 3.5 mm headset port
Headset ports	3.5 mm headset jack
HTS code	8517140080
Layers per pallet	9
Management Software	Polycom Device Management Service for Service Providers (PDMS-SP) Cloud Management

Manufacturer product number	2200-88080
Manufacturer Warranty	Poly standard one-year limited warranty
Material Type for item	FERT
Multiple order quantity	10
Native resolution	128 x 160
Network protocols, supported	Manual or dynamic host configuration protocol (DHCP) network setup; Time and date synchronization using SNTP
Operating humidity range	5 to 95%
Operating temperature range	-10 to 55°C
Package dimensions (W x D x H)	230 x 173 x 60 mm
Package weight	300 g
Pallet dimensions (W x D x H)	101.6 x 121.9 x 149 cm
Pallet weight	357 kg
Panel technology	Color TFT LCD
Power	External universal AC adapter: 5V 1A DC (model-specific plugs)
Products per pallet	630
Products per pallet layer	70
Registration required	No
Security management	DECT™ security certified
Special features	Push-to-talk
Storage temperature range	-40 to 70°C
Telephony and call handling features	Up to 10 handsets; 10 IP registrations; 10 simultaneous calls per cell
UNSPSC code	43191511
UPC number	197498446714
VoIP features	Up to Twenty (10) lines per Handset service subscription profile assignments (SP1 - 20)
Weight	455 g

What's in the box	Desk stand; Safety information sheet; Quick start guide; B1 Base Station; Rove 30 Handset; 2 AC Power Adapter; Localized plugs per SKU
Wireless range	Up to 50 m indoor

Logistics

ECCN	5A991
HTS code	8517140080
UPC number	197498446714
What's in the box	Desk stand; Safety information sheet; Quick start guide; B1 Base Station; Rove 30 Handset; 2 AC Power Adapter; Localized plugs per SKU
Package dimensions (W x D x H)	230 x 173 x 60 mm
Pallet dimensions (W x D x H)	101.6 x 121.9 x 149 cm
Dimensions (W x D x H)	55.2 x 127 x 26.3 mm
Country of origin	Made in China
Cartons per layer	7
Cartons per pallet	63
Multiple order quantity	10
Layers per pallet	9
Products per pallet	630
Products per pallet layer	70
Manufacturer product number	2200-88080
Material Type for item	FERT
UNSPSC code	43191511
Package weight	300 g
Pallet weight	357 kg
Weight	455 g

Legal disclaimer