

Poly Rove Single/Dual Cell DECT 1880-1900 MHz B2 Base Station

Active

8J8W3AA

NI

Specifications

All Specs

Audio	DTMF tone generation (RFC 2833 and in-band)
Audio codecs	G.711 (A-law and μ -law); G.722; G.726; G.729A; G.729AB; OPUS; Wideband
Battery life	Up to 18 hours (talk time); Up to 300 hours (standby time)
Battery type	Rechargeable Li-ion
Cartons per layer	6
Cartons per pallet	54
Certifications and compliances	UL 62368-1
Certified collaboration software	Zoom; Microsoft (OpenSIP gateway)
Color	Black
Country of origin	Made in China
DECT frequency	1880 to 1900 MHz (EURO/AUST/UK/AP)
Dimensions (W x D x H)	56.9 x 146.3 x 36.8 mm
Display size (diagonal)	6.1 cm (2.4")
ECCN	5A991
End of Life CO2e (kg)	0.2
Energy star certified	ENERGY STAR® certified
Headset ports	3.5 mm headset jack
HTS code	8517610000
Layers per pallet	9
Management Software	Polycom Device Management Service for Service Providers (PDMS-SP) Cloud Management
Manufacturer product number	2200-86820

Manufacturer Warranty	Poly standard one-year limited warranty
Material Type for item	FERT
Multiple order quantity	10
Network protocols, supported	Manual or dynamic host configuration protocol (DHCP) network setup; IPv4
Operating humidity range	5 to 95%
Operating temperature range	-10 to 55°C
Package dimensions (W x D x H)	239 x 141 x 44 mm
Package weight	300 g
Pallet dimensions (W x D x H)	101.6 x 121.9 x 149 cm
Pallet weight	357 kg
Power	External universal AC adapter: 5V 2A DC (model-specific plugs)
Production CO2e (kg)	39
Products per pallet	540
Products per pallet layer	60
Registration required	No
Security management	DECT™ security certified
Special features	Unicode UTF-8 character support; Push-to-talk
Storage temperature range	-40 to 70°C
Telephony and call handling features	Up to 10 simultaneous calls (single cell)
Total CO2e (kg)	40
Transportation CO2e (kg)	0.2
UNSPSC code	43191606
UPC number	196548132973
VoIP features	Up to Twenty (20) lines per Handset, service subscription profile assignments (SP 1 - 20)
Weight	168 g

What's in the box Desk stand; Safety information sheet; Quick start guide; B2 Base Station; AC Power Adapter EU plug

Wireless range Up to 50 m indoor

Logistics

ECCN 5A991

HTS code 8517610000

UPC number 196548132973

What's in the box Desk stand; Safety information sheet; Quick start guide; B2 Base Station; AC Power Adapter EU plug

Package dimensions (W x D x H) 239 x 141 x 44 mm

Pallet dimensions (W x D x H) 101.6 x 121.9 x 149 cm

Dimensions (W x D x H) 56.9 x 146.3 x 36.8 mm

Country of origin Made in China

Cartons per layer 6

Cartons per pallet 54

Multiple order quantity 10

Layers per pallet 9

Products per pallet 540

Products per pallet layer 60

Manufacturer product number 2200-86820

Material Type for item FERT

UNSPSC code 43191606

Package weight 300 g

Pallet weight 357 kg

Weight 168 g

Legal disclaimer