

Poly Savi 7210 Monaural DECT 1880-1900 MHz Top

Discontinued

8Y9C0AA

NG

Specifications

All Specs

Audio	Noise and echo reduction
Battery life	>12 hours (talk time)
Battery type	Rechargeable Li-ion polymer
Cartons per layer	10
Cartons per pallet	42
Certified collaboration software	DECT™
Charge time	<3 hours
Color	Black
Connection type	DECT™
Country of origin	Made in Mexico
Headphone type	On-ear (monoaural)
Indicator light	On call
Layers per pallet	6
Manufacturer Warranty	Poly standard two-year limited warranty
Material Type for item	FERT
Microphone bandwidth	100 Hz to 7.8 kHz
Microphone type	Noise canceling
Multiple order quantity	20
Package dimensions (W x D x H)	190 x 210 x 55 mm
Package weight	300 g
Paired devices	Up to 4

Pallet dimensions (W x D x H)	101.6 x 121.9 x 149 cm
Pallet weight	357 kg
Products per pallet	300
Products per pallet layer	50
Registration required	No
Security	DECT™ security certified; AES 64 bits encryption
Sensitivity (microphone)	-45 +/-3 dB
Signal-to-noise ratio	>60 dB
Speaker bandwidth	80 Hz to 20 kHz
Speaker size	14.2 mm
Special features	Adjustable headband
UNSPSC code	43191638
UPC number	197498537627
What's in the box	Headset (top only)
Wireless range	Up to 120 m

Logistics

UPC number	197498537627
What's in the box	Headset (top only)
Package dimensions (W x D x H)	190 x 210 x 55 mm
Pallet dimensions (W x D x H)	101.6 x 121.9 x 149 cm
Country of origin	Made in Mexico
Cartons per layer	10
Cartons per pallet	42
Multiple order quantity	20
Layers per pallet	6

Products per pallet	300
Products per pallet layer	50
Material Type for item	FERT
UNSPSC code	43191638
Package weight	300 g
Pallet weight	357 kg

Specifications

[1] Protects against Acoustic Shock by limiting sounds to below 118 dBA.

Legal disclaimer

[2] HL10, sold separately.

[1] Sold separately.